


EA 6 1952 Hobo Haka 11-11-00

tap L26,5 $\phi 17,0$




u: 49,5, -0,5
 $\phi 3,5 \times 3,7$
 5,5 uitdraai

5 - $\phi 2,5$
 $\phi 5,0$
 ieb naar beneden
 onder sneeden


6 - 11,6
 1,65 schuif
 $\phi 4,6$

25
 $\phi 4,0$
 163,5
 -52,5



17,2 -10 17,30
 17,0 -22
 16,8 30-40
 16,6 50
 16,4 55-57
 16,2 66
 16,0 74-81
 15,8 84-86
 15,6 88-94
 15,4 101-104
 15,2 108-110
 15,0 115-119
 14,8 123- gat 6
 14,6 130
 14,4 134
 14,2 140


14,0 155- gat 5
 13,8 166
 13,6 172
 13,4 180
 13,2 186-188
 13,0 195-6
 12,8 198-200
 12,6 202-204
 12,4 206
 12,2 209
 12,0 212
 11,8 200



glaassen: alle $\pm 4,4$ brack

klepant: netto 5,5

11-11-88 beher



tap: L20,0
 $\phi 23,0-5$

20,0	500
21,2	77
22,2	60
24,0	57
26,0	50
28,0	45
30,0	41
32,0	37
35,0	34
40,0	24